

AD _____

Award Number: DAMD17-99-1-9094

TITLE: BAG Family Proteins: Regulators of Cancer Cell Growth
Through Molecular Chaperones

PRINCIPAL INVESTIGATOR: Shinichi Takayama, M.D., Ph.D.

CONTRACTING ORGANIZATION: The Burnham Institute
La Jolla, California 92037

REPORT DATE: June 2000

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 074-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE June 2000		3. REPORT TYPE AND DATES COVERED Annual (1 Jun 99 - 31 May 00)
4. TITLE AND SUBTITLE BAG Family Proteins: Regulators of Cancer Cell Growth Through Molecular Chaperones			5. FUNDING NUMBERS DAMD17-99-1-9094	
6. AUTHOR(S) Shinichi Takayama, M.D., Ph.D.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Burnham Institute La Jolla, California 92037 E-MAIL: stakayama@ljcrf.edu			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 Words) BAG-1 is a novel regulator of Hsp70 family molecular chaperones. The activity of many steroid hormone receptors, including the estrogen receptor, ER α , is known to be regulated by Hsp70 and Hsp90 family proteins. A carboxyl terminal domain of BAG-1 binds to the ATPase domain of Hsc70/Hsp70 and regulates its chaperone function. We have cloned two additional novel BAG-1 homologs (BAG-2, BAG-3) using yeast two hybrid screening with the Hsc70 ATPase doimain as a bait. In addition we have identified two more possible BAG homologs in the EST database. The fundamental hypothesis we propose to test is that BAG family proteins are important regulators of ER function in breast cancers. In the first year of this research proposal, we cloned full length cDNA of BAG family proteins. Predicted amino acid sequence shows that all member of these protein has the similar sequence in the c-terminal homologous domain and diverse sequence in N-terminus domain. Several kinds of antibody against BAG family proteins have been generated using GST fusion protein and we have preliminary data about the western analysis of breast cancer cell lines.				
14. SUBJECT TERMS Breast Cancer			15. NUMBER OF PAGES 17	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

N/A Where copyrighted material is quoted, permission has been obtained to use such material.

N/A Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

N/A Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

N/A In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).

SJ For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

N/A In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

SJ In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

N/A In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

 6/29/00
PI - Signature Date

Table of Contents

Cover.....	1
SF 298.....	2
Foreword.....	3
Table of Contents.....	4
Introduction.....	5
Body.....	5-7
Key Research Accomplishments.....	8
Reportable Outcomes.....	8
Conclusions.....	8-9
References.....	9
Appendices.....	10-17

INTRODUCTION

Breast cancer is a hormonally driven disease. The estrogen receptor (ER) controls the response of the normal breast and breast cancers to estrogens. BAG1 is a novel regulator of estrogen receptor. During my investigation about BAG1, we found additional 4 human genes, which have c-terminal homology domain of BAG1. BAG family proteins are binding to Hsp70 molecular chaperone. And our data shows that deletion of Hsp70 binding domain of BAG1 lose it's ability to regulate ER. To understand the mechanism of ER regulation by BAG1, we proposed to examine how BAG family protein regulate breast cancer cell growth and ER activation. We cloned all full length cDNA of BAG family proteins and made constructs for biological and biochemical assay. Recently, we generated several antibodies against BAG family protein and tried to detect expression level in breast cancer cell lines. Our preliminary data suggested that BAG3 express very strongly in breast cancer cell lines. I believe studies of these proteins and their interactions with estrogen receptors will improve our understanding of the mechanisms that cause breast cancer and lay the foundation for devising novel strategies for improving therapy.

BODY

Task1. Deduce the Complete Primary Aminoacid Sequences of BAG-3, BAG-4 and BAG- 5. (Months 1-6)

- a. Identify tissues or cell lines rich in mRNAs for BAG-2, BAG-3, BAG-4, and BAG-5 by Northern blotting.
- b. Obtain full-length BAG-family cDNAs by conventional lambda phage library screening using ³²P-labeled hybridization probes or 5'RACE.
- c. Determine DNA sequences of cDNAs and deduce complete ORFs of BAG-family proteins.
- a. Confirm ORFs by in vitro translation experiments.

Completion of Task 1 has been reported as a genbank submission described below (Appendices). We used two kinds of libraries for cloning these cDNAs. One is Jurkat lambda ZAPII library and the other is HUCL (Stratagene, La Jolla). Detailed procedure has been reported in the 6 month report.

Task 2. Determine the biochemical effects of BAG-family proteins on Hsc70 chaperone function (Months 6-12).

- a. Subclone cDNAs into pGEX4T-1 for production of GST fusion proteins.

PCR based deletion mutant has been made for these constructions using pGEX4T-1 vector. 5' primers has EcoRI (BamHI for BAG4) and 3' primer has XhoI site.

- b. Produce and purify BAG-family proteins from bacteria.

Most of these fusion proteins are soluble, except BAG5BD2, BAG5BD4. We are trying to determine the condition of expression and purification of these proteins.

- c. Perform biochemical assays of BAG-family protein effects on Hsc70 chaperone activity (refolding assays), ATPase activity, and ADP-ATP exchange.

Task 3. Map the domains within BAG-family proteins which are needed for interactions with Hsc70 (Months 13-16).

- a. Create deletion mutant of BAG-1 family proteins by PCR mutagenesis of cDNAs.

See Task 2a. We already made several deletion mutants.

- b. Subclone into pGEX and yeast two hybrid plasmids.

Same fragment from Task2a were used for yeast two hybrid vectors, pGilda and pJG4-5

- c. Perform Hsc70 interaction assays.

Task 4. Examine effects of BAG-family proteins on Estrogen Receptor Function. (Months 17-20)

- a. Subclone epitope tagged BAG-family cDNAs into pcDNA3 for expression in mammalian cells.

pcDNA3 myc vector was used for subcloning the fragments from Task2a. All construct have been made

- b. Perform transient transfection reporter gene assays for ER function using estrogens and antiestrogens.

Task 5. Explore the effects of BAG-family proteins on in vitro behaviors of breast cancer cells (Months 21-36)

- a. Choose cell lines for studies based on RNA blot analysis of endogenous levels of BAG-1, BAG-2, BAG-3, BAG-4, and BAG-5 expression.

- b. Perform transfections and select for cell lines stably expressing BAG-1 family proteins.
- c. Verify expression by immunoblotting, using epitope tags.
- d. Examine effects of BAG-family protein over-expression on (a) steroids; (b) chemotherapeutic drugs; and (c) cell motility.

Task 6. Determine the incidence of BAG-family protein expression in breast cancers (months 12-36).

- a. Immunize rabbits with recombinant BAG-family proteins or KLH,OVA-conjugated peptides and produce antisera (Months 0-24)
- b. Characterize antibodies by immunoblotting and immunoprecipitation assays: Verify specificity and lack of cross-reactivity with other BAG-family proteins.

We made several antisera against recombinant BAG family proteins and two of those have been characterized. Bur 101 is anti BAG2 antibody and Bur 102 is anti BAG3 anti sera. Using these antibodies, we performed western blot analysis using breast cancer cell lines. Fig 3. 293 T cell was transfected by pcDNA3 myc BAG3 and BAG2. Anti myc monoclonal antibody (Santa Cruise Biotec), Bur 101 and Bur102 antibody were used to compare signals. Anti BAG2 and Anti BAG3 antibodies work on the western blot. Fig4 shows overexpression of BAG3 protein (~80kDa) in Breast cancer cell lines. Comparing to BAG3 expression, BAG2 protein (~25kDa) is pretty low level in breast cancer cell lines. Further characterization of these antibody will be necessary.

- c. Analyze BAG-family mRNA and protein levels in breast cancer cell lines by RNA and immunoblotting (Months 25-30).
- d. Analyze BAG-family gene expression in primary archival breast tumor specimens by in situ hybridization or immunohistochemistry (Months 30-36).

KEY RESEARCH ACCOMPLISHMENTS

- 1, Using partial cDNA as probes, we cloned full length cDNA of BAG3, BAG4, BAG5.
- 2, cDNAs have been amplified and subcloned into pGEX, pGilda, pJG4-5, pcDNA3 etc.
- 3, Purification of GST fusion protein of wild type and deletion mutants of BAG family proteins is undergoing.
- 4, Rabbit antisera have been generated and characterized.
- 5, Preliminary western blot was performed using breast cancer cell lines.

REPORTABLE OUTCOME

As listed in Appendices, GENBANK submission has been made by the nucleotide and peptide sequence data of BAG3, BAG4 and BAG5. GenBank accession number is listed in Appendices.

CONCLUSIONS

As we spent most of the first year for cloning and determination of nucleotide sequence, we don't have many important results and implications about breast cancer biology. Determination of full length cDNA sequence and predicted amino acid sequence have been finished. Predicted amino acid sequence revealed similar sequence at the carboxyl-terminal region of each protein. But the N-terminal region has different peptide sequence.

BAG2 protein is not expressed very well in breast cancer cell lines by western blot. This protein might not very important in breast cancer cell biology. We always observe higher molecular weight band by BAG2 antibody. More characterization of this antibody and protein expression will be necessary about BAG2 project.

BAG3 protein has WW domain at the N-terminal region and proline rich sequence is located in the middle portion of this protein (fig.1). The WW domain has been found in many proteins, including Nedd4 ubiquitin ligase, oncoprotein YAP and so on. Although, physiological role of WW domain is not clear yet, recently many reports show the importance of WW domain as a binding domain of proline rich sequence(1). In the proline rich domain of BAG3, there are several PXXP motifs, which are reported as SH3 recognition sequences. From these feature of peptide sequence, we speculated that BAG 3 binds to partner proteins at the N-terminus and regulate the function of Hsp70 molecular chaperone at the C-terminus. It is interesting to find any cancer or growth related protein interaction with N-terminal region of BAG3(2). Our preliminary western blot shows overexpression of BAG3 protein in breast cancer cell lines (fig.4). We observed several extra band in BAG3 western blot. Shorter band might be the degraded protein and more careful characterization will be necessary. Basically BAG3 protein is overexpressed in most of the breast cancer cell lines. Interestingly, adriamycin resistant MCF-7 has less expression of BAG3 than parental cell. We are preparing RNA for northerblot analysis. Comparison between drug resistant cell lines and parental cell line might have some clue of the mechanism of upregulated expression of BAG3 in breast cancer cell lines.

The investigation of associated protein of BAG3 might be useful to understand the function of BAG3 protein. Recently, bcl-2 binding protein, bis, has been published and we found this protein is identical to BAG3. Their report showed BAG3/bis works

synergistically in preventing cell death with Bcl-2. It is interesting for us to examine Bcl-2 related breast cancer cell biology with BAG3.

BAG4 protein is also proline rich protein. There are no clear motif in this protein. After we cloned this protein as a homologue of BAG3 from EST data base (3), a gene encoding silence of death domain (SODD) was identified (4). SODD associated with TNFR1 and DR3 to prevent spontaneous death signaling. An amino acid sequence is identical to BAG4. At present, we are unable to show their published data about SODD by using our BAG4 cDNA clone. As we are using different system from this group, we should be more careful about this story. Recently SODD/BAG4 was reported as a overexpressed protein in pancreatic cancer (5). It is suggested that carcinogenesis inducing overexpression of BAG4/SODD in this type of cancer. The investigation of the mechanism of the upregulation of BAG4 in cancer cell might show an interesting result in not only pancreatic cancer but also breast cancer.

As I showed in fig.1, BAG5 has 4 possible BAG domain. We made several deletion mutants to see which BAG domain is important for the binding to 70kDa molecular chaperones (fig2). We are trying to purify all of these recombinant GST fusion proteins.

REFERENCES

1. Kay, B. K., M. P. Williamson, and M. Sudol. 2000. The importance of being proline: the interaction of proline-rich motifs in signaling proteins with their cognate domains. *Faseb.* 14(2):231-241.
2. Lee, J. H., T. Takahashi, N. Yasuhara, J. Inazawa, S. Kamada, and Y. Tsujimoto. 1999. Bis, a Bcl-2-binding protein that synergizes with Bcl-2 in preventing cell death. *Oncogene.* 18(46):6183-6190.
3. Takayama, S., Z. Xie, and J. C. Reed. 1999. An evolutionarily conserved family of Hsp70/Hsc70 molecular chaperone regulators. *J Biol Chem.* 274(2):781-786.
4. Jiang, Y., J. D. Woronicz, W. Liu, and D. V. Goeddel. 1999. Prevention of constitutive TNF receptor 1 signaling by silencer of death domains. *Science.* 283(5401):543-546.
5. Ozawa, F., H. Friess, A. Zimmermann, J. Kleeff, and M. W. Buchler. 2000. Enhanced expression of Silencer of death domains (SODD/BAG-4) in pancreatic cancer. *Biochem Biophys Res Commun.* 271(2):409-413.

APPENDICES**Nucleotide and Amino acid sequence****1. BAG3 nucleotide sequence and predicted amino acid sequence.**

LOCUS AF095193 2534 bp mRNA PRI 10-SEP-1999
 DEFINITION Homo sapiens BAG-family molecular chaperone regulator-3 mRNA, complete cds.
 ACCESSION AF095193
 NID g4322821
 KEYWORDS .
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. REFERENCE 1 (bases 1 to 2534)
 AUTHORS Takayama,S., Xie,Z. and Reed,J.C. TITLE An evolutionarily conserved family of Hsp70/Hsc70 molecular chaperone regulators
 JOURNAL J. Biol. Chem. 274 (2), 781-786 (1999) MEDLINE 99091615
 REFERENCE 2 (bases 1 to 2534)
 AUTHORS Takayama,S. and Reed,J.C.
 TITLE BAG-family regulators of Hsp70/Hsc70
 JOURNAL Unpublished
 REFERENCE 3 (bases 1 to 2534)
 AUTHORS Takayama,S. and Reed,J.C.
 TITLE Direct Submission
 JOURNAL Submitted (28-SEP-1998) The Burnham, 10901 N. Torrey Pines Rd., La Jolla, CA 92037, USA
 REFERENCE 4 (bases 1 to 2534)
 AUTHORS Takayama,S. and Reed,J.C.
 TITLE Direct Submission
 JOURNAL Submitted (10-SEP-1999) The Burnham, 10901 N. Torrey Pines Rd., La Jolla, CA 92037, USA
 REMARK Sequence update by submitter
 FEATURES Location/Qualifiers
 source 1..2534
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /cell_line="Jurkat"
 /cell_type="T lymphocyte"
 CDS 307..2034
 /note="member of the molecular chaperone regulator BAG family proteins; BAG-3"
 /codon_start=1
 /product="BAG-family molecular chaperone regulator-3"
 /db_xref="PID:g4322822"
 /translation="MSAATHSEPMQVASGNGDRDPLPPGWEIKIDPQTGWPFVVDHNS
 RTTTWNDPRVPSEGPKETPSSANGPSREGSRLPPAREGHPVYPQLRPGYIPIVLEHG
 AENRQVHPFHVYPQPGMQRFRTAAAAAPQRSQSPLRGMPETTQPDKQCGQVAAAAAA
 QPPASHGPPERSQSPAASDCSSSSSSASLPSSGRSSLGSHQLPRGYISIPVIHEQNVTR
 PAAQPSFHKAKQTHYPAQRGEYQTHQPVYHKIQGDDWEPRPLRAASPFRRSSVQGASSR
 EGSPARSSTPLHSPSPIRVHTVVDPRPQQPMTHRETAPVSQPENKPEKPGPVGPELPP
 GHIPIQVIRKEVDSKPVSKPPPPSEKVEVKVPPAPVPCPPSPGPSAVPSSPKSVAT
 EERAAPSTAPAEATPPKPGAEAPPKHGVLKVEAILEKVQGLEQAVDNFEGKKTDDK
 YLMIEEYLTKEALLALDSVDPEGRADVRQARRDGVKRVQTILEKLEKQKIDVPGVQVY
 ELQPSNLEADQPLQAIMEMGAADKGGKNAGNAEDPHTTETQQPEATAAATSNPSSMT
 DTPGNPAAP"
 BASE COUNT 596 a 806 c 653 g 479 t
 ORIGIN
 1 gcggagctcc gcatccaacc cggggccgcg gccaaacttct ctggactgga ccagaagttt 61
 ctagccggcc agttgctacc tccctttatc tctccttcc cctctggcag cgaggaggct 121

```

atttccagac  acttccaccc  ctctctggcc  acgtcacccc  cgcctttaat  tcataaaggt  181
gcccggcgcc  ggcttcccgg  acacgtcgcc  ggcggagagg  ggcccacggc  ggcggccccg  241
ccagagactc  ggcgcccggg  gccagcgccc  cgcaccccg  ccccgagggg  cagaccccaa  301
cccagcatga  gcgcgcgcc  ccactcgccc  atgatgcagg  tggcggtccg  caacgggtgac  361
cgcgaccctt  tgccccccgg  atgggagatc  aagatcgacc  cgcagaccgg  ctggcccttc  421
ttcgtggacc  acaacagccg  caccactacg  tggaacgacc  cgcgcgtgcc  ctctgagggc  481
cccaaggaga  ctccatcctc  tgccaatggc  ccttcccggg  agggctctag  gctgccgcct  541
gctagggag  gccaccctgt  gtacccccag  ctccgaccag  gctacattcc  cattcctgtg  601
ctccatgaag  gcgctgagaa  ccggcagggt  caccctttcc  atgtctatcc  ccagcctggg  661
atgcagcgat  tccgaactga  ggcggcagca  ggcgtcctc  agagggtcca  gtcacctctg  721
cggggcgatg  cagaaaccac  tcagccagat  aaacagtgtg  gacaggtggc  agcggcgggc  781
gcagcccagc  cccagcctc  ccacggacct  gagcggtccc  agtctccagc  tgcctctgac  841
tgctcctcct  catcctcctc  ggccagcctg  ccttctctcg  gcaggagcag  cctggggcagt  901
caccagctcc  cgcgggggta  catctccatt  ccggtgatac  acgagcagaa  cgttaccggg  961
ccagcagccc  agccctcctt  ccacaaagcc  cagaagacgc  actaccagc  gcagaggggt  1021
gagtaccaga  cccaccagcc  tgtgtaccac  aagatccagg  gggatgactg  ggagccccgg  1081
ccccctggg  gggcctccc  gttcaggtea  tctgtccagg  gtgcatcgag  ccggggaggc  1141
tcaccagcca  ggagcagcac  gccactccac  tccccctcgc  ccatccgtgt  gcacaccgtg  1201
gtcgacaggc  ctcagcagcc  catgacccat  cgagaaactg  cacctgtttc  ccagcctgaa  1261
aacaaaccag  aaagtaagcc  aggccaggt  ggaccagaa  tccctcctgg  acacatccca  1321
attcaagtga  tccgcaaaga  ggtggattct  aaacctgttt  cccagaagcc  cccacctccc  1381
tctgagaagg  tagaggtgaa  agttccccct  gctccagttc  cttgtcctcc  tcccagccct  1441
ggcccttctg  ctgtccctc  ttcccccaag  agtgtggcta  cagaagagag  ggcagccccc  1501
agcactgcc  ctgcagaagc  tacacctcca  aaaccaggag  aagccgaggc  tccccaaaaa  1561
catccaggag  tgctgaaagt  ggaagccatc  ctggagaagg  tgcaggggct  ggagcaggct  1621
gtagacaact  ttgaaggcaa  gaagactgac  aaaaagtacc  tgatgatcga  agagtatttg  1681
accaaagagc  tgctggccct  ggattcagtg  gaccccgagg  gacgagccga  tgtgcgctag  1741
gccaggagag  acggtgtcag  gaaggttcag  accatcttgg  aaaaacttga  acagaaagcc  1801
attgatgtcc  caggtaagtc  ccaggtctat  gaactccagc  ccagcaacct  tgaagcagat  1861
cagccactgc  aggcaatcat  ggagatgggt  gccgtggcag  cagacaaggg  caagaaaaat  1921
gctggaaatg  cagaagatcc  ccacacagaa  acccagcagc  cagaagccac  agcagcagcg  1981
acttcaaacc  ccagcagcat  gacagacacc  cctggtaacc  cagcagcacc  gtagcctctg  2041
ccctgtaaaa  atcagactcg  gaaccgatgt  gtgctttagg  gaattttaag  ttgcatgcat  2101
ttcagagact  ttaagtcatg  tggtttttat  tagctgcttg  gtatgcagta  acttgggttg  2161
aggcaaaaaca  ctaataaaaag  ggctaaaaag  gaaaatgatg  cttttcttct  atattcttac  2221
tctgtacaaa  taaagaagtt  gcttggtgtt  tgagaagttt  aaccccgttg  cttgttctgc  2281
agccctgtct  acttgggcac  ccccaccacc  tgtttagctgt  ggttgtgcac  tgtcttttgt  2341
agctctggac  tggaggggta  gatggggagt  caattaccca  tcacataaat  atgaaacatt  2401
tatcagaaat  gttgccattt  taatgagatg  attttcttca  tctcataatt  aaaataacct  2461
actttagaga  gagtaaaatg  tgccaggagc  cataggaata  tctgtatgtt  ggatgacttt  2521
aatgctacat tttc

```

2. BAG4 nucleotide and predicted amino acid sequence

LOCUS AF095194 1944 bp mRNA PRI 10-SEP-1999
 DEFINITION Homo sapiens BAG-family molecular chaperone regulator-4 mRNA,
 complete cds.
 ACCESSION AF095194
 NID g4322823
 KEYWORDS .
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia; Eutheria;
 Primates; Catarrhini; Hominidae; Homo. REFERENCE 1 (bases 1 to 1944)
 AUTHORS Takayama,S., Xie,Z. and Reed,J.C. TITLE An evolutionarily
 conserved family of Hsp70/Hsc70 molecular
 chaperone regulators
 JOURNAL J. Biol. Chem. 274 (2), 781-786 (1999) MEDLINE 99091615
 REFERENCE 2 (bases 1 to 1944)
 AUTHORS Takayama,S. and Reed,J.C.

TITLE BAG-family regulators of Hsp70/Hsc70

JOURNAL Unpublished

REFERENCE 3 (bases 440 to 1392)

AUTHORS Takayama, S. and Reed, J.C.

TITLE Direct Submission

JOURNAL Submitted (28-SEP-1998) The Burnham, 10901 N. Torrey Pines Rd., La Jolla, CA 92037, USA

REFERENCE 4 (bases 1 to 1944)

AUTHORS Takayama, S. and Reed, J.C.

TITLE Direct Submission

JOURNAL Submitted (10-SEP-1999) The Burnham, 10901 N. Torrey Pines Rd., La Jolla, CA 92037, USA

REMARK Sequence update by submitter

FEATURES Location/Qualifiers

source 1..1944

/organism="Homo sapiens"

/db_xref="taxon:9606"

CDS 43..1416

/note="member of the molecular chaperone regulator BAG

family proteins; BAG-4"

/codon_start=1

/product="BAG-family molecular chaperone regulator-4"

/db_xref="PID:g4322824"

/translation="MSALRRSGYGPSDGPSTYGRYYGPGGGDVPVHPPPLYPLRPEPP

QPPISWRVRGGGPAETTWLGEggggdgyypsggawpepragggshqppypsynsny

WNSTARSRAPYPSTYPVRPELQGGSLNSYTNAYGPTYPPGPGANTASYSGAYYAPGY

TQTSYSTEVPTSTYRSSGNSPTPVSRIYPPQDCQTEAPPLRGQVPGYPPSQNPGMTLP

HYPYGDGNRSVPQSGPTVRPQEDAWASPGAYGMGGRYPWSSAPSAPPGLNLYMTESTS

PWPSSGSPQSPSPVPVQPKDSSYPYSQSDQSMNRHNFPCSVHQYESSGTVNNDSDSL

LDSQVQYSAEPQLYGNATSDHPNNQDQSSSLPEECVPSDESTPPSIKKIIHVLEKVQY

LEQVEEFVGGKTKDAYWLLLEMLTKELLELDVETGGQDSVRQARKEAVCKIQAILE

KLEKKGL"

BASE COUNT 535 a 480 c 443 g 486 t

ORIGIN

```

1  cggtgggagc  ggggcgggaa  gcgcttcagg  gcagcggatc  ccatgtcggc  cctgaggcgc  61
tcgggctacg  gccccagtga  cggctcgcgc  tacggcgcgc  actacgggcc  tgggggtgga  121
gatgtgccgg  tacaccacc  tccaccctta  taccctcttc  gccctgaacc  tccccagcct  181
cccatttcct  ggcgggtgcg  cgggggcggc  ccggcggaga  ccacctggct  gggagaaggc  241
ggaggaggcg  atggtctacta  tccctcgggg  ggcgccctgg  cagagcctgg  tcgagccgga  301
ggaagccacc  aggagcacc  accatatcct  agctacaatt  ctaactattg  gaattctact  361
ggcagatcta  gggctcctta  cccaagtaca  taccctgtta  gaccagaatt  gcaaggccag  421
agtttgaatt  cttatacaaa  tggagcgtat  ggtccaacat  acccccccagg  ccctggggca  481
aatactgcct  catactcagg  ggcttattat  gcacctgggt  atactcagac  cagttactcc  541
acagaagttc  caagtactta  ccgttcatt  ggcaacagcc  caactccagt  ctctcggttg  601
atctatcccc  agcaggactg  tcagactgaa  gcacccccct  ttagggggca  ggttccagga  661
tatccgcctt  cacagaacct  tggaatgacc  ctgcccctat  atccttatgg  agatggtaat  721
cgtagtggtc  cacaatcagg  accgactgta  cgaccacaag  aagatgcgtg  ggcttctcct  781
ggtgcttatg  gaatgggtgg  ccgttatccc  tggccttcat  cagcgccctc  agcaccaccc  841
ggcaatctct  acatgactga  aagtacttca  ccatggccta  gcagtggctc  tccccagtc  901
cccccttcac  cccagtccta  gcagcccaag  gattcttcat  acccctatag  ccaatcagat  961
caaagcatga  accggcacaa  ctttccttgc  agtgtccatc  agtacgaatc  ctgggggaca  1021
gtgaacaatg  atgattcaga  tcttttggat  tcccaagtcc  agtatagtgc  tgagcctcag  1081
ctgtatggta  atgccaccag  tgaccatccc  aacaatcaag  atcaaagtag  cagtcttctc  1141
gaagaatgtg  taccttcaga  tgaaagtact  cctccgagta  ttaaaaaaat  catacatgtg  1201
ctggagaagg  tccagtatct  tgaacaagaa  gtagaagaat  ttgtaggaaa  aaagacagac  1261
aaagcatact  ggcttctgga  agaaatgcta  accaaggaac  ttttggaact  ggattcagtt  1321
gaaactgggg  gccaggactc  tgtacggcag  gccagaaaag  aggtgtgttg  taagattcag  1381
gccatactgg  aaaaaattaga  aaaaaaagg  ttatgaaagg  atttagaaca  aagtgggaag  1441
ctgttactaa  cttgaccaa  gaacacttga  ttaggttaat  taccctcttt  ttgaaatgcc  1501
tgttgatgac  aagaagcaat  acattccagc  ttttcctttg  attttatact  tgaaaaactg  1561
gcaaaggaat  ggaagaatat  tttagtcatg  aagttgtttt  cagttttcag  acgaatgaat  1621
gtaataggaa  actatggagt  taccaatatt  gccaaagtag  ctcaactcct  aaaaaattta  1681
tggatatcta  caagctgctt  attaccagca  ggaggggaaac  acacttcaca  caacaggctt  1741
atcagaaacc  taccagatga  aactggatat  aattttagac  aaacaggatg  tgttttttta  1801
aacatctgga  tatcttgtca  catttttgta  cattgtgact  gctttcaaca  tatacttcat  1861

```

Principal Investigator: Takayama, Shinichi

gtgtaattat agcttagact ttagccttct tggacttctg ttttgttttg ttatttgcag 1921
tttacaata tagtattatt ctct

BAG5 nucleotide and predicted aminoacid sequence

LOCUS AF095195 4285 bp mRNA PRI 10-SEP-1999
DEFINITION Homo sapiens BAG-family molecular chaperone regulator-5 mRNA,
complete cds.
ACCESSION AF095195
NID g4322825
KEYWORDS .
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia; Eutheria;
Primates; Catarrhini; Hominidae; Homo. REFERENCE 1 (bases 1 to 4285)
AUTHORS Takayama, S., Xie, Z. and Reed, J.C. TITLE An evolutionarily
conserved family of Hsp70/Hsc70 molecular
chaperone regulators
JOURNAL J. Biol. Chem. 274 (2), 781-786 (1999) MEDLINE 99091615
REFERENCE 2 (bases 1 to 4285)
AUTHORS Takayama, S. and Reed, J.C.
TITLE BAG-family regulators of Hsp70/Hsc70
JOURNAL Unpublished
REFERENCE 3 (bases 1245 to 1957)
AUTHORS Takayama, S. and Reed, J.C.
TITLE Direct Submission
JOURNAL Submitted (28-SEP-1998) The Burnham Institute, 10901 N. Torrey
Pines Rd., La Jolla, CA 92037, USA
REFERENCE 4 (bases 1 to 4285)
AUTHORS Takayama, S. and Reed, J.C.
TITLE Direct Submission
JOURNAL Submitted (10-SEP-1999) The Burnham Institute, 10901 N. Torrey
Pines Rd., La Jolla, CA 92037, USA
REMARK Sequence update by submitter
FEATURES Location/Qualifiers
source 1..4285
/organism="Homo sapiens"
/db_xref="taxon:9606"
CDS 224..1567
/note="member of the molecular chaperone regulator BAG
family proteins; BAG-5"
/codon_start=1
/product="BAG-family molecular chaperone regulator-5"
/db_xref="PID:g4322826"
/translation="MDMGNQHPSISRLQEIQKEVKSVEQQVIGFSGLSDDKNYKKLER
ILTKQLFEIDSVDTEGKDIQQARKRAAQETERLLKELEQNANHPHRIEIQNIFEEAQ
SLVREKIVPFYNGGNCVTDEFEEGIQDIILRLTHVKTGGKISLRKARYHTLTKICAVQ
EIIEDCMKKQPSLPLSEDAHPSVAKINFVMCEVNKARGVLIALLMGVNNNETCRHLSC
VLSGLIADLDALDVCGRTEIRNYRREVVEDINKLLKYLDLEEEADTKAFDLRQNHSI
LKIEKVLKRMREIKNELQAQNPSELYLSSKTELQGLIGQLDEVSLKNPCIREARRR
AVIEVQTLITYIDLKEALEKRKLFACEEHPHSHKAVWNVLGNLSEIQGEVLSFDGNRTD
KNYIRLEELLTKQLLALDAVDPOGEEKCKAARKQAVRLAQNILSYLDLKSDEWEY"
BASE COUNT 1201 a 875 c 987 g 1222 t
ORIGIN
1 gaagacgccc ggagcggctg ctgcagccag tagcggcccc ttcaccggct gccccgctca 61
gacctagtgc ggaggggtgc gaggcattgc gctggggggc cagctccggt gccgcacccc 121
gtaaagggct gatcttccac ctgcgccacct cagccacggg acgccaagac cgcattccaat 181
tcagacttct tttggtgctt gtgaaactga acacaacaaa agtatggata tgggaaacca 241
acatccttct attagtaggc ttcaggaaat ccaaaaggaa gtaaaaagt tagaacagca 301
agttatcggc ttcagtggtc tgtcagatga caagaattac aagaaactgg agaggattct 361
aacaaaacag ctttttgaaa tagactctgt agatactgaa ggaaaaggag atattcagca 421
agctaggaag cgggcagcac aggagacaga acgtcttctc aaagagttgg agcagaatgc 481
aaaccaccca caccgattg aaatacagaa catttttgag gaagcccagt ccctcgtgag 541
agagaaaatt gtgccatttt ataattggagg caactgcgta actgatgagt ttgaagaagg 601
catccaagat atcattctga ggctgacaca tggttaaaact ggaggaaaaa tctccttgcg 661

Principal Investigator: Takayama, Shinichi

gaaagcaagg	tatcacactt	taaccaaagt	ctgtgcggtg	caagagataa	tcgaagactg	721
catgaaaaag	cagccttccc	tgccgctttc	cgaggatgca	catecttccg	ttgcaaaaat	781
caacttcgtg	atgtgtgagg	tgaacaaggc	ccgaggggtc	ctgattgcac	ttctgatggg	841
tgtgaacaac	aatgagacct	gcaggcactt	atcctgtgtg	ctctcggggc	tgatcgctga	901
cctggatgct	ctagatgtgt	gcggccggac	agaaatcaga	aattatcgga	gggaggtagt	961
agaagatata	aacaaattat	tgaatatctt	ggatttggaa	gaggaagcag	acacaactaa	1021
agcatttgac	ctgagacaga	atcattccat	tttaaaaata	gaaaaggtcc	tcaagagaat	1081
gagagaaata	aaaaatgaac	ttctccaagc	acaaaaccct	tctgaattgt	acctgagctc	1141
caaaacagaa	ttgcagggtt	taattggaca	gttggatgag	gtaagtcttg	aaaaaaaccc	1201
ctgcatccgg	gaagccagga	gaagagcagt	gatcgagggt	caaactctga	tcacatatat	1261
tgacttgaag	gaggcccttg	agaaaagaaa	gctgtttgct	tgtgaggagc	acccatccca	1321
taaagccgtc	tggaacgtcc	ttggaaactt	gtctgagatc	cagggagaag	ttctttcatt	1381
tgatggaaat	cgaaccgata	agaactacat	ccggtctgaa	gagctgctca	ccaagcagct	1441
gctagccctg	gatgctgttg	atccgcaggg	agaagagaag	tgtaaggctg	ccaggaaaca	1501
agctgtgagg	cttgccgcaga	atattctcag	ctatctcgac	ctgaaatctg	atgaatggga	1561
gtactgaaat	accagagatc	tcacttttga	tactgttttg	cacttcataat	gtgcttctat	1621
gtatagagag	ctttcagttc	attgatttat	acgtgcataat	ttcagttcta	gtattttatga	1681
ttgaagcaaa	ttctattcag	tatctgtctg	ttttgatgtt	gcaagacaaa	tatcatataca	1741
gcacgttaac	ttttccattc	ggatcattat	ctgtatgatg	tggtgtggtt	tgtttgggtt	1801
gtcctttttt	ttgcgttttt	aatcagaaaa	caaaatagag	gcagcttttg	tagatttttaa	1861
atgggttgtg	caagcattaa	aatgcagggt	tttcagaatc	tagaactagg	cataacctta	1921
cataatacta	ggaaaattat	gagaaagggg	aaatttttgg	ttaaataaga	gtaaggttca	1981
aacacaagca	gtacatgttc	tgtttcatta	tgctcgatag	aaggcttttt	tttcacttat	2041
aaggccctgat	tggtcctacc	cagcttaacg	gggtgggggt	tttttgtttg	ttcagcagct	2101
ctgttctttt	gtaaacattt	ttagtgggaa	aaacagcatc	tgcattttcc	ccatcctcta	2161
cgtttttagag	aggaatcttg	tttttgtgtg	caacataaga	aaattatgaa	aactaatagc	2221
caaaaaacct	ttgagattgc	attaaagaga	agggataaag	gaccagcaat	aataccttgt	2281
aagttgcttt	tgtttgtaaa	atctgagctt	atagttttcc	ttagttagta	aattcataag	2341
gatgggaaca	tttaaattaa	gttaatgggc	ctttaaaaaa	aaaaaaggaa	acactcatac	2401
ctgtagtgtg	aggatgaata	ctggagacgg	gttaccaatg	tcagggttata	ctaaaactaa	2461
atcagaaagt	ctgaatgtag	cacataatgg	ttctcttctg	ttgtccaagg	ctgtaaaatg	2521
gacagccttg	tcacacctcc	ccggtgctgt	tttacaacgt	gagggtagac	gctgtcagta	2581
acccagaggg	accaggcctt	cctagggttt	ctaggcagtc	agctgttaac	cactcactta	2641
gtaaatgtca	taactacacc	tgctccagga	ccaatcagtg	aaacctgctc	ggaattaaag	2701
gcttctctga	ggtgcctgtc	gaacaactga	gctcatgtca	tgggcatgtg	tggttctctc	2761
tggtgcctga	aaagccattt	aaagtcagtc	gtgcgtgaag	catctctctt	ctaaaggatg	2821
tgtatttcca	taaatgcttt	ctgaggatcc	ggtacaaaat	gatttcccaa	agttctgaag	2881
tgcccttgaga	acatgtgggt	ccgagtgtta	taacagactc	ctcccccggy	tcaccttttg	2941
cctggtcatc	ctggttagagt	acatcttttg	aaatccaggg	taatatcttc	tttcagagat	3001
gctcattgtg	taactctgtg	tagggagata	gtcactttaa	acagctcaaa	gtagttagct	3061
aaaggagtag	cttaaaatag	ctaaaagatg	acagaagcat	agcccttaac	aaatcttcag	3121
cttgtctctc	agtatttccc	aatcatgaaa	atcccttgct	atgtctttcc	tactagaaat	3181
gttctagaat	cgctggacgg	tggggtcaga	gggcagtcgg	tatttaggcc	gtgagcttcc	3241
catactactg	caggtccaac	tcctggcaac	cgcggtctca	aggcaggtca	ttggaatcca	3301
cgttttggcc	acagtagttg	taggattgct	tttctgtatc	ataattttag	aatgctctta	3361
aaatcttgag	gaagagtttt	tattttttat	ttatttttga	gatggagtct	ctgttgccca	3421
ggctgcagtg	cagtgggtgc	atctcagctc	actgcaacct	ccacctccca	ggttcaagcg	3481
attctcctgc	ctcagccacc	tgagttagct	ggagtacagg	catgtggcac	catgcctggc	3541
taatttttgt	attttttaata	gagttgagat	ttcaccatga	tggtcaggct	ggtctcgaac	3601
tcctgacctc	gtgatccgcc	cgcctcggcc	ccccaaagtg	ctgggattaa	cgggtgtgag	3661
ccacggcgcc	cagcccagga	agagttttta	aattagagct	ctgttttaatt	ataccactgg	3721
gaaatcatgg	ttacgcttca	ggcatattct	tccccagagt	actacttaca	ttttaaattt	3781
caattttgtaa	agttaaatgt	cagcattccc	tttaaaagtg	tccattgttc	tttgaaagta	3841
gacgttttcag	tcattctttt	caaacaagtg	tttgtgtacc	ttttgccaag	ctgtgggcat	3901
cgtgtgtgag	tacagggtgc	tcagctcttc	caccgtcatt	ttgaattgtt	cacatgggta	3961
attgggtcatg	gaaatgatca	gattgacctt	gattgactgt	caggcatggc	tttgtttcta	4021
gttttcaatct	gttctcgttc	cttgtaccgg	attattctac	tcctgcaatg	aacctctgtg	4081
acaccgattt	tagctcttgt	cggcctctgt	ggggagctgt	ttgtgttaat	atgagctact	4141
gcatgtaatt	cttaaaactgg	gcttgtcaca	ttgtattgta	tttttgtgat	ctgtaatgaa	4201
aagaatctgt	actgcaagta	aaacctactc	cccaaaaatg	tgtggctttg	ggtctgcatt	4261
aaacgtgtga	gtccatgttc	atgcc				

Fig. 1 Structure of BAG family proteins





Fig. 2 PCR based deletion mutants.






Fig.3 Characterization of anti BAG2 Bur101And anti BAG3 Bur102 antisera




Fig.4 Western blot analysis of Breast cancer cell lines by anti BAG2 and BAG3 antibody